Aquaculture, 119 (1994) 433–436
Elsevier Science B.V., Amsterdam

Author Index

Adeyemo, A.A., Oladosu, G.A. and Ayinla, A.O.
Growth and survival of fry of African catfish species, *Clarias gariepinus* Burchell, *Heterobranchus bidorsalis* Geoffery and Heteroclarias reared on *Moina dubia* in comparison with other first feed sources 41
Arai, K., *see* Kusunoki, T. et al.
Aulie, A., *see* Sohlberg, S. et al.
Ayinla, A.O., *see* Adeyemo, A.A. et al.
Bangen, M., Grave, K., Nordmo, R. and Søli, N.E.
Description and evaluation of a new surveillance programme for drug use in fish farming in Norway 109
Banks, J.L.
Raceway density and water flow as factors affecting spring chinook salmon (*Oncorhynchus tshawytscha*) during rearing and after release 201
Beacham, T.D., *see* Withler, R.E. et al.
Carrillo, M., *see* Piferrer, F. et al.
Castell, J.D., *see* Xu, X.L. et al.
Castell, L.L. and Mann, R.
Optimal staining of lipids in bivalve larvae with Nile Red 89
Chatain, B.
Abnormal swimbladder development and lordosis in sea bass (*Dicentrarchus labrax*) and sea bream (*Sparus auratus*) 371
Chen, H.-Y. and Tsai, J.-C.
Optimal dietary protein level for the growth of juvenile grouper, *Epinephelus malabaricus*, fed semipurified diets 265
Clarke, W.C., *see* Whyte, J.N.C. et al.
Clement, S. and Lovell, R.T.
Comparison of processing yield and nutrient composition of cultured Nile tilapia (*Oreochromis niloticus*) and channel catfish (*Ictalurus punctatus*) 299
Deguchi, Y., *see* Sugita, H. et al.
Divanach, P., *see* Kentouri, M. et al.
Donaldson, E.M., *see* Piferrer, F. et al.
Douillet, P.A. and Langdon, C.J.
Use of a probiotic for the culture of larvae of the Pacific oyster (*Crassostrea gigas* Thunberg) 25
Drori, S., Ofir, M., Levavi-Sivan, B. and Yaron, Z.
Spawning induction in common carp (*Cyprinus carpio*) using pituitary extract or GnRH superactive analogue combined with metoclopramide: analysis of hormone profile, progress of oocyte maturation and dependence on temperature 393
Eid, A.E. and Ghonim, S.I.
Dietary zinc requirement of fingerling *Oreochromis niloticus* 259
Fracalossi, D.M. and Lovell, R.T.
Dietary lipid sources influence responses of channel catfish (*Ictalurus punctatus*) to challenge with the pathogen *Edwardsiella ictaluri* 287

Ghonim, S.I., *see* Eid, A.E. et al.
Ginther, N.G., *see* Whyte, J.N.C. et al.
Goard, L.J., *see* Nell, J.A. et al.
González, S., *see* Vázquez, R. et al.
Grave, K., *see* Bangen, M. et al.
Gravel, M., *see* Sarac, H.Z. et al.
Guiral, D., *see* Konan-Brou, A.A. et al.
Harboe, T., Huse, I. and Øie, G.
Effects of egg disinfection on yolk sac and first feeding stages of halibut (*Hippoglossus hippoglossus L.*) larvae 157
Harrison, P.J., *see* Thompson, P.A. et al.
Heasman, M.P., *see* Nell, J.A. et al.
Himmelman, J.H., *see* Lodeiros, C.J. et al.
Hirato, C., *see* Sugita, H. et al.
Huse, I., *see* Harboe, T. et al.
Jensen, J.O.T., *see* Whyte, J.N.C. et al.
Ji, W.J., *see* Xu, X.L. et al.
Kentouri, M., León, L., Tort, L. and Divanach, P.
Experimental methodology in aquaculture: modification of the feeding rate of the gilthead sea bream *Sparus aurata* at a self-feeder after weighing 191
Konan-Brou, A.A. and Guiral, D.
Available algal biomass in tropical brackish water artificial habitats 175
Kuruma, A., *see* Sugita, H. et al.
Kusunoki, T., Arai, K. and Suzuki, R.
Production of viable gynogens without chromosome duplication in the spinous loach *Cobitis biwae* 11
Langdon, C.J., *see* Douillet, P.A. et al.
Lee, C.-S., *see* Tamaru, C.S. et al.
León, L., *see* Kentouri, M. et al.
Levavi-Sivan, B., *see* Drori, S. et al.
Lodeiros, C.J. and Himmelman, J.H.
Relations among environmental conditions and growth in the tropical scallop *Euvola* (*Pecten*) *ziczac* (L.) in suspended culture in the Golfo de Cariaco, Venezuela 345
Lovell, R.T., *see* Clement, S. et al.
Lovell, R.T., *see* Fracalossi, D.M. et al.
Mann, R., *see* Castell, L.L. et al.
McMeniman, N.P., *see* Sarac, H.Z. et al.
Montagnes, D.J.S., *see* Thompson, P.A. et al.
Mourente, G., *see* Vázquez, R. et al.
Murashige, R., *see* Tamaru, C.S. et al.
Nell, J.A., O'Connor, W.A., Heasman, M.P. and Goard, L.J.
Hatchery production for the venerid clam *Katelysia rhytiphora* (Lamy) and the Sydney cockle *Anadara trapezia* (Deshayes) 149
Nordmo, R., *see* Bangen, M. et al.
Oberdorff, T. and Porcher, J.P.
An index of biotic integrity to assess biological impacts of salmonid farm effluents on receiving waters 219
O'Connor, W.A., *see* Nell, J.A. et al.
O'Dor, R.K., *see* Xu, X.L. et al.
Ofir, M., *see* Drori, S. et al.
Ohkoshi, T., *see* Sugita, H. et al.

Øie, G., *see* Harboe, T. et al.
Okada, R., *see* Sugita, H. et al.
Oladosu, G.A., *see* Adeyemo, A.A. et al.
Pedersen, H.P., *see* Staurnes, M. et al.
Piferrer, F., Carrillo, M., Zanuy, S., Solar, I.I. and Donaldson, E.M.
Induction of sterility in coho salmon (*Oncorhynchus kisutch*) by androgen immersion before first feeding 409
Porcher, J.P., *see* Oberdorff, T. et al.
Rodríguez, A., *see* Vázquez, R. et al.
Rustad, T., *see* Staurnes, M. et al.
Sarac, H.Z., McMeniman, N.P., Thaggard, H., Gravel, M., Tabrett, S. and Saunders, J.
Relationships between the weight and chemical composition of exuvia and whole body of the black tiger prawn, *Penaeus monodon* 249
Saunders, J., *see* Sarac, H.Z. et al.
Scarpa, J., Toro, J.E. and Wada, K.T.
Direct comparison of six methods to induce triploidy in bivalves 119
Shaw, B.A., *see* Thompson, P.A. et al.
Shearer, K.D.
Factors affecting the proximate composition of cultured fishes with emphasis on salmonids 63
Sigholt, T., *see* Staurnes, M. et al.
Sin, F.Y.T., *see* Symonds, J.E. et al.
Sohlberg, S., Aulie, A. and Søli, N.E.
Temperature-dependent absorption and elimination of flumequine in rainbow trout (*Oncorhynchus mykiss* Walbaum) in fresh water 1
Solar, I.I., *see* Piferrer, F. et al.
Søli, N.E., *see* Bangen, M. et al.
Søli, N.E., *see* Sohlberg, S. et al.
Staurnes, M., Sigholt, T., Pedersen, H.P. and Rustad, T.
Physiological effects of simulated high-density transport of Atlantic cod (*Gadus morhua*) 381
Sugita, H., Kuruma, A., Hirato, C., Ohkoshi, T., Okada, R. and Deguchi, Y.
The vitamin-B_{12}-producing bacteria in the water and sediment of a carp culture pond .. 425
Suzuki, R., *see* Kusunoki, T. et al.
Symonds, J.E., Walker, S.P. and Sin, F.Y.T.
Electroporation of salmon sperm with plasmid DNA: evidence of enhanced sperm/DNA association 313
Tabrett, S., *see* Sarac, H.Z. et al.
Tamaru, C.S., Murashige, R. and Lee, C.-S.
The paradox of using background phytoplankton during the larval culture of striped mullet, *Mugil cephalus* L. 167
Thaggard, H., *see* Sarac, H.Z. et al.
Thomas, D.H.L.
Socio-economic and cultural factors in aquaculture development: a case study from Nigeria 329
Thompson, P.A., Montagnes, D.J.S., Shaw, B.A. and Harrison, P.J.
The influence of three algal filtrates on the grazing rate of larval oysters (*Crassostrea gigas*), determined by fluorescent microspheres 237
Toro, J.E., *see* Scarpa, J. et al.
Tort, L., *see* Kentouri, M. et al.
Townsend, L.D., *see* Whyte, J.N.C. et al.
Tsai, J.-C., *see* Chen, H.-Y. et al.

Vázquez, R., González, S., Rodríguez, A. and Mourente, G.
Biochemical composition and fatty acid content of fertilized eggs, yolk sac stage larvae and first-feeding larvae of the Senegal sole (*Solea senegalensis* Kaup) 273
Wada, K.T., *see* Scarpa, J. et al.
Walker, S.P., *see* Symonds, J.E. et al.
Whyte, J.N.C., Clarke, W.C., Ginther, N.G., Jensen, J.O.T. and Townsend, L.D.
Influence of composition of *Brachionus plicatilis* and *Artemia* on growth of larval sablefish (*Anoplopoma fimbria* Pallas) 47
Withler, R.E. and Beacham, T.D.
Genetic variation in body weight and flesh colour of the coho salmon (*Oncorhynchus kisutch*) in British Columbia 135
Xu, X.L., Ji, W.J., Castell, J.D. and O'Dor, R.K.
Influence of dietary lipid sources on fecundity, egg hatchability and fatty acid composition of Chinese prawn (*Penaeus chinensis*) broodstock 359
Yaron, Z., *see* Drori, S. et al.
Zanuy, S., *see* Piferrer, F. et al.